


महाराष्ट्र MAHARASHTRA

2023

60AA 345600



मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक 99302 दिनांक 05/09/2023

प्रतिज्ञापत्रासाठीचे कारण

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

हस्ते असल्यास नाव व पत्ता

मुद्रांक विकत घेणाऱ्याची सही

परवानाधारक मुद्रांक विक्रेत्याची सही

व परवानाधारक तसेच मुद्रांक विक्रीचे ठिकाण/पत्ता-

Principal
Surya College of Nursing
Manchi Hill, Ashvi Bk., Tal. Sangamner
Dist. Ahmednagar (MS) Pin-413714

श्री. नितीन गिवाजी कुमठेकर

(मु.वि.प.क्र. 90809/२८)

१६३५, विश्वास झेरॉक्स, संगमनेर

MEMORANDUM OF UNDERSTANDING (MOU)

This memorandum of understanding is made between following parties:

- 1) Chaitanya Hospital (Jathar Hospital),
Tajane Mala, Navin Nagar Road., Tal Sangamner,
Through its Director
Dr. Nitin Janardhan Jathar,
Age: 42 years, Occupation: Doctor
Tajane Mala, Navin Nagar Road.,
Tal, Sangamner, Dist: Ahmednagar
Surya College of Nursing, Manchi Hill, Ashvi Bk.,
Tal. Sangamner, Dist. Ahmednagar 413714
Through its Director / President Mr. Vijay Kushaba Pise
Age: 50 years, Occupation: Service
A/P Manchi Hill, Ashvi Bk.,
Tal, Sangamner, Dist: Ahmednagar





WHEREAS the party no 1, is running a bedded hospital under the name and title as Chaitanya Hospital which covers the multispeciality and General. The said hospital is of Allopathic faculty. This said hospital is said being register under Bombay Nursing Home Act. 1994 and under the Shop Act.




Whereas The Party No 2. Is an Educational Society and is Running College of Basic B. Sc. Nursing Programme, Affiliated to Maharashtra University of Health Science, Nashik. The Party No. 2 Is Already Provided Chaitanya Hospital and Requested Party No. 1,

For Affiliation of Their Hospital for next 10 consecutive academic years for said college of B. BSc. Nursing Courses for practical purpose. HEREAS the party no, 1. Has agreed to provided its affiliated hospital for the purpose of clinical field experience for student in said Surya College of Nursing, Manchi Hill, Ashwi Bk., Tal. Sangamner conducting B. BSc. courses At Manchi Hill, Ashwi Bk. Tal Sangamner, Dist- Ahmednagar for the academic year 2023 -24 and for next 10 consecutive years.

Therefor this agreement of above memorandum of understating held and for which both the parties have made their signatures below with best of their knowledge and belief on this day of.

Date:- 13/09/2023

Place:- Sangamner.





Surya College of Nursing
Manchi Hill, Ashvii Bk.,
(B. BSc Nursin g).
Through its President
Mr. Pise
E.A.B.V.J.J. & M.S.Sanstha
Manchi Hill, Ashvi Bk, Tal. Sangamner
Dist. Ahmednagar (M.S.)



Chaitanya Hospital,
Through its Director
Dr. Nitin Janardhan Jathar
Tajane Mala, Navin Nagar Road
Tal- Sangamner, Dist-Ahmednagar.
Dr. Nitin J. Jathar
M.B.B.S., D.T.C.D.
Consultant Chest Physician
Reg. No. 69518

IDENTIFIED BY



BEFORE ME

SUBHASH N. SHINDE
Notary Govt. of India
Dist. ANMEDNAGAR

NOTED & REGISTERED
AT SERIAL NO 207/2023
Date : 13/09/2023

THIS DOCUMENT
CONTAINS 2 PAGES



GOVT. OF MAHARASHTRA



HEALTH SERVICES

DISTRICT HOSPITAL, AHMEDNAGAR

Certificate of Registration under section 5 of the
Bombay Nursing Homes Registration Act- 1949

Renewal


This is to certify that is DR.NITIN JANARDHAN JATHAR had been requested under the Bombay Nursing Homes Registration Act 1949.in respect of CHAITANYA HOSPITAL situated at TAJANE MALA, NEW NAGAR ROAD, SANGAMNER and has been Authorised to carry on the said Nursing home.

Registration No – 98

Date of Registration - 01/12/2007

Place - Ahmednagar

Date of issue of certificate - 31/03/2023



Mat. - 00

Other - 50

Total - 50 Beds

This Certificate of Registration shall be valid upto 31st March 2026 (Twenty Six)



Sanjay B
Signature of Registering Authority
Civil Surgeon

General Hospital, Ahmednagar

Copy to - Medical Superintendent, Rural Hospital, Sangamner Dist.Ahmednagar

Note – 1) Rights reserved to cancel certificate by issuing authority if any documents found to be incorrect.

2) As per Terms and Conditions Mentioned in our Letter.




Certificate of Registration for Membership of Common Biomedical Disposal Facility as per Authorization for Generation, Collection, Reception, Segregation, Storage, and Disposal of Bio-Medical Wastes under Rule 1998 & amended there on.

Registration No. : SNG / 91
Date of Registration : 01st February, 2019.
Date of Issue of Certificate : 01 July 2023
Place : Ahmednagar.
Name & Address : Dr. Jathar Nitin Janardan.
Chaitanya Hospital.
New Nagar Road,
Tajane Mala, Sangamner,
Tal: Sangamner, Dist: Ahmednagar.
Type of Institute : Hospital.
No. of Beds : 50 (Fifty)
Approx. Qty. of Waste Generated/day: 8 To 10 Kg.


This Certificate is valid from 01 July 2023 To 30 June 2024

This is to certify that above Doctor / Institute is registered with us and having membership of our CBMWTSDF for collection, transportation & disposal of biomedical waste generated at his / there institute.

Note :- In case of violation of BMW rules 1998 & amended there on or default for due payments of BMW Services all rights are reserved with signing authorities for cancellation of this certificate.



For, Bioclean Systems (India) Pvt. Ltd
Ahmednagar.



Ahmednagar Office :
Nilayam Housing Society,
Near John Deere Tractors Showroom,
Nagar-Pune Road,
Ahmednagar - 414 001.
Ph. : (0241) 2324131, Mob. 9225322576

Solapur Office :
Plot No. OD, Uma Sahakar
Gruhniman Sansha Maryadi,
Solapur, T.P. Scheme No. 4,
Final Plot No, 125/2, Junli Mill Compound,
Murarji Palh, Solapur-1.
Phone : (0217) 8451070, 2324289

Pune Office :
Building No. A-10,
Flat No. 6, Meoranagar,
Koregaon Park,
Pune - 411001 (M.H.).

MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 0253/2365150
Fax: 0253/2365140
Email: ronashik@mpcb.gov.in
Visit At: <http://mpcb.gov.in>



Udyog Bhavan, First Floor,
Trimbak Road, Near ITI,
Satpur,
Nashik - 422007.

Red/SSI

Consent No: RO-NASHIK/CONSENT/2008000269 Date: 07.08.2020.

To,
M/s. Chaitanya Hospital.
Sr. No- 145/11, New Nagar Road, Oppo. Nagare Hospital, Tajane Mala,
Tal- Sangamner Dist- Ahmednagar.

Sub : Combined Establish & Consent to Operate and BMW Authorization under RED Category to Health Care Establishment (HCE)/ Diagnostic center.

Ref : 1. Application for consent to operate vide application No. MPCB-CONSENT-0000088343

Combined Consent to Establish & Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous & Other Wastes (M & T M) Rules 2016 & amendment 2019 & Bio- Medical Waste (Management) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions as detailed in the schedule I, II, III, IV & V annexed to this order:

The conditional combined consent to Establish & Operate and BMW authorization is granted for a period up to 31/03/2019 to 31/03/2023.

- The capital investment of the HCE is Rs. 56.71 lacs. (As per C. A. Certificate submitted)
- The Consent is valid for the Activity of -

Sr. No.	Activity	UOM
1	Hospital Activity	50 Beds
2	Total Plot Area	6000.0 Sq.m
3	Total Built Up Area	10000.0 Sq.m

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	1.60	As per Schedule -I	On land for gardening
2.	Domestic effluent	4.0	As per Schedule -I	



5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
I	D.G. Set 35 KVA	1	As per Schedule -II (5)

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
I	STP Sludge	10	Kg/M	Bio Composting	Manure for Garden


7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. This consent is issued subject to conditions mentioned below,
- The "authorized Person" of M/s Anandrishiji-Netralaya shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
 - If the built up area exceeds more than 20,000 sq. mtrs. And if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
 - You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - You shall establish Bar code system within one year.
 - You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.
 - You shall submit separate Bank Guarantee of Rs. 1,25,000/- towards compliance of condition mentioned at Annexure - IV to Regional Office, MPCB Nagpur within 30 days.

MPCB-CONSENT-0000088343

Page 2 of 9

- (x) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.
- (xi) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

For and on behalf of the
Maharashtra Pollution Control Board


(Ama B Durgule)
Regional Officer, MPCB Nashik

Received Consent / Authorization fee of -

Sr. No.	Amount (Rs)	Transaction no.	Date
1	Rs. 7500/-	TXN2002001792	18.02.2020
2	Rs. 12,000/-	TXN2002001793	18.02.2020

Copy to:

1. Sub Regional Officer - MPCB, Ahmednagar - They are directed to ensure the compliance of the-CCA conditions.
2. PSO, MPCB, Mumbai- for information.



Maharashtra Pollution Control Board



Schedule-I

D) Terms & Conditions for compliance of Water Pollution Control

- 1) A) You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by Chlorination and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
- B) The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E P Act, 1986 and Rules made there under from time to time, whichever is stringent.


Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l, except for pH
01	pH	6.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
05	COD	250
06	Total Suspended Solids	100
08	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modification to treatment and disposal system or an extension or addition thereto.
- 3) You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) You shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

II) Water Consumption

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling and boiler feed etc.,	0.0
2.	Domestic purpose	8.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.0
5	Other such as agriculture, gardening, etc.	0.0

MPCB-CONSENT-0000088343



Schedule-II

Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-


Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/day
1	D.G. Set 35 KVA	3 Mts Above Roof Level	4	Lit/Hr

2. The applicant shall provide stack height of Nil mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

Am



Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	65	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB.
		b) Animal Anatomical Waste			
		c) Soiled Waste		Separate collection system leading to effluent treatment system	
		d) Expired or Discarded Medicines			
		e) Chemical Waste		Yellow coloured non-chlorinated plastic bags or suitable packing material	
		f) Chemical Liquid Waste			
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.		Autoclave safe plastic bags or containers	
		h) Microbiology Biotechnology and other clinical laboratory waste			
2	Red	Contaminated (Recyclable) waste	115	Red coloured non chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	45	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	80	Puncture proof & leak proof boxes or containers with blue coloured marking.	
		b) Metallic body implants			

NOT
S.N.51
Area Ahr
Dist
Dist. A
Reg.No
Expiry
21/9/

Notary
S.M.SHINDE
Area Ahmednagar
District,
Dist. A Nagar
Reg.No.8241
Expiry Date
21/9/2025

REGIONAL OFFICE
WHSVN - 3
BOARD - MS


MPCB-CONSENT-0000088343

**Schedule-IV
Bank Guarantee**

You shall submitted total Bank Guarantee of Rs. 1,25,000/- valid up to validity of this authorization, in favour of Regional Officer, M.P.C. Board, Nashik within 15 days. Specific conditions with Bank Guarantees along with time bound programme for compliance as per Board's circular no MPCB/PSO/BMW/B-1825 dtd 10/04/2013 is as follows-

Sr. No.	Activity/Condition to be Complied	Compliance Timeline (Months)	Amount of Bank Guarantee (Rs)
I(A)	Operation and Maintenance		
1	To segregate and Handle BMW as per rule	Continuous	75,000/-
2	Operation and Maintenance of ETP to achieve prescribed discharged standards.	Continuous	
I(B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form-II before 31st January	Continuous	
2	To Maintain records of BMW material received / delivered to authorized party / CBMWTSDF (Transporters only)	Continuous	
II	Performance		
1	To provide Separate BMW storage facility	Six	50,000/-
2	Effluent treatment plant not provided / need up gradation	Six	
Total			1,25,000/-
Rupees One Lakh Fifty Thousand only			

Maharashtra Pollution Control Board



MPCB-CONSENT-0000088343

[Handwritten signature]



Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M,& TM)n Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

1.General Information

UAN No:
MPCB-CONSENT-0000161956

Application submitted on:
09-02-2023

Industry Information

Industry Type: O88 Health-care Establishment
(as defined in BMW Rules)

Category: Orange

Scale: S.S.I

Consent To: Operate (Plain Renewal)

Submit to: SRO - Ahmednagar

Consent to Establish Details

Consent to Establish No.	Consent to Establish date	Consent to Establish Valid Upto
	01-01-1970	01-01-1970
Previous Consent No.	Previous Consent date	Previous Consent Valid Upto
RO-NASHIK/CONSENT/2008000269	07-08-2020	31-03-2023

Particulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name **Father / Husband Name**
Dr. Nitin Janardan


Mobile No **Telephone/Fax**
9422224036

PAN No **Address**
ABIPJ2583N Chaitanya Hospital Meher Mala Janki Nagar Sangamner Ahmednagar

Last Name **Designation**
Jathar Director

Email **Aadhar No**
chaitanyahospital6@gmail.com 442956106251

Pin Code
422605



2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

Chaitanya Hospital

b) Address for Correspondance

Pin Code	District	City/Town
422605	Ahmednagar	Sangamner
Survey/Gut No.	Name of premises /Building	Road/Street
Sr No 145 11	Tajane Mala Oppo Nagare Hospital	New Nagar Road
Area/Locality	Email	Website URL
Sangamner	chaitanyahospital6@gmail.com	NO

c) Details of Contact Person

Name of the contact person	Contact No.	Email	Designation
Nitin Janardan Jathar	9422224036	chaitanyahospital6@gmail.com	Director

d) Onwership of Facility

Private (Registered under company Act)

e) Month and year of commissioning of the HCF

01/01/2008

f) Area of the Facility / Hospital

i) Total plot area (in square meter)	ii) Built up area (in square meter)	iii) Open Plot Area (Sq.Mtr)
606.51	914.20	164.31

g) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees)	Longitude (In degrees)
19.57	74.20

h) Gross capital investment of the HCF/CBWF without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by certificate from Chartered Accountant / Balance sheet)

CA Certificate

Sr. No.	Fixed Assets	Amount (in lakh)
1	Land	1.0000
2	Building / Premises	1.0000
3	Plant & Machinery / Equipment	19.0200
4	Furniture / Fixture	0.5400
5	Any other movable / immovable fixed assets (Please specify)	
5.a	Computer	6.8400
5.b	NA	NA
5.c	NA	NA
5.d	NA	NA
5.e	NA	NA
6	Capital Work in Progress (if any)	NA

Gross Capital (in Lakh)

28.40 (Lakh)

Certificate Date

09-02-2023



i) Compliance of Location Criteria

Location of facility

Whether it is notified industrial area

Land Use Type

Land Ownership



Urban No Residential & Commercial Self Owned

j) Does HCF have Laundry facility in premises No

k) Does HCF have Canteen/Cafeteria facility in premises Yes

Area (Sq.Ft.) **Water Consumption/day (CMD)** **No of Cafeteria**
13.10 1.00 1

l) Does HCF have Hostel/Residential quarters in premises No

m) Number of Patient Treated per Day

OPD (Average Patient / Day) **IPD / Admitted (Average Patient / Day)**
20 6

n) Name of the local body under whose jurisdiction the HCF is located.

ULB Type

Municipal Council

ULB Name

Sangamner Municipal Council

o) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority

Planning Authority

Sangamner Municipal Council

Planning permission

Occupancy Certificate

3.BMW Authorization Details

a) Discipline of Medicine

Medicine

b) Bombay Nursing Home Registration Details

Total number of Beds	BNH Registration Number	Valid Upto	First Issued Date
50	98	31-03-2023	01-12-2007

Certificate issuing Authority

Civil Surgeon

Total Bed Break up

General Beds	ICCU/ICU Beds	Maternity Beds	Operation Theatre	Oncology Beds	Other Beds
21	17	5	2		5

c) Diagnostic and Pharma Facilities available in Premises

Pathology Lab Yes **Average Samples/day** 10

Blood Bank No

X-Ray Yes **X-Ray Number Per Day** 6

CT Scan Yes **CT Scan Number Per Day** 4

MRI No **MRI Number Per Day**

USG No

ECG/EEG Yes **ECG Number Per Day** 8

Medical Store / Pharmacy Yes **Nos** 1

Other No

d) Whether HCF intended to Sale / Handover liquid BMW for R&D purpose



No

Category wise Bio-Medical Waste Collected ,Treated,Disposed			
Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)
1	Yellow	a) Human Anatomical waste	35.00
		b) Animal Anatomical Waste	0.00
		c) Soiled Waste	85.00
		d) Expired or Discarded Medicines	20.00
		e) Chemical Waste	0.00
		f) Chemical Liquid Waste	0.00
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00
2	Red	Contaminated waste (Recyclable)	45.00
3	White (Translucent)	Waste sharps including Metals	35.00
4	Blue	a. Glassware	15.00
		b. Metallic body implants	10.00

Details of Storage at Facility						
Sr No	Type	Category	Temporary Storage Area			Avg. No. of Bag/Container (Per Day)
			Length (Ft)	Width (Ft)	Height (Ft)	
1	Untreated BMW	Yellow	6.00	4.00	7.00	1.00
		Red	6.00	3.00	7.00	1.00
		Blue	6.00	3.00	7.00	1.00
		White	6.00	2.00	7.00	1.00

Do you Have Equipment Installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers contaning Bio-Medical waste

Yes

Common Facility Membership Details (CTF)

CTF Name

M/s. Bioclean Systems India Pvt Ltd. , Ahmednagar

Membership Number

SNG 91

Issued Date

31-10-2023



Do you have Captive Treatment

No


4.Consent Details

a) Sources of Water

i) Surface Water Yes

Name of the water supply Water Consumption Quantity (CMD)

Sangamner Municipal Council 10



ii) Ground Water No

iii) Tanker Water No

b) Water Consumption Details

Raw Water (CMD)	Recycle Water (CMD)	Total Water Quantity Requirement (CMD)
6	4	10

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Treatment	Disposal
Domestic Purpose	10.0	8.0	STP	Recycle, On Land For Gardening
Processing whereby water gets Polluted & Pollutants are Biodegradable	0.0	0.0	NA	NA
Processing whereby Water gets Polluted, Pollutants are not Biodegradable & Toxic	0.0	0.0	NA	NA
Industrial Cooling, spraying in mine pits or boiler feed	0.0	0.0	NA	NA
Total	10.00	8.00		

d) Waste Waster Treatment

Have you installed STP or ETP

Yes

1. Sewage Treatment Plant: Yes

2. Effluent Treatment Plant: No

3. Combined Treatment Plant: No

Sewage Treatment Plant

Capacity(CMD)

10.00

Preliminary: Yes Preliminary Treatment: Bar Screens, Grit Chamber

Primary: Yes Primary Treatment:

Secondary: Yes Secondary Treatment: Sequential Batch Reactor (SBR)

Tertiary: Yes Tertiary Treatment: Sand & Carbon Filter

Advance: No Advance Treatment:

e) Other waste generation details

1) Municipal Solid Waste

a) Biodegradable Waste(kg/day) b) Recyclable Waste(kg/day) c) Domestic Hazardous Waste(kg/day)

4.00 2.00 0.00

2) E-Waste (Kg/Annum) 0.00

3) Plastic Waste (Kg/Annum) 0.00

4) Hazardous Waste (Kg/Annum) 0.00



Effluent Analysis result (As per latest report)				
Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		10-08-2022	09-11-2022	07-02-2023
pH	6.5 - 9.0	0.00	0.00	0.00

Oil and Grease (mg/l)	10	0.00	0	0.00
BOD (mg/l)	30	0.00	0.00	0.00
COD (mg/l)	250	0.00	0.00	0.00
TSS (mg/l)	100	0.00	0.00	0.00
Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	0.00	0.00	0.00

Air Pollution

Whether D.G. Set Installed

Yes

Capacity(KVA)	Make	Fuel Used	Fuel QTY	Unit	Stack Height in meter	Accoustic Enclosure for noise control
34	Cumines	Diesel	4.00	Ltr/H	3.00	NO

Do you have Boiler Installed

No

Boiler Details					
Make	Model	Combustion efficiency	Fuel Type	Qty	Shape (round/rectangular)

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Port hole

No

Platform

No

Ladder

No

Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		NA	NA	NA
Particulate matter	50 mg/Nm ³	0	0	0
Nitrogen oxides	400 mg/Nm ³	0	0	0
HCL	50 mg/Nm ³	0	0	0
Total Dioxins and Furans	0.1 ng TEQ/Nm ³ (at 11% O ₂)	0	0	0
Hg and its compounds	0.05 mg/Nm ³	0	0	0

Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)

No

Quantity of ash generated from Boiler (Tonnes/ month):

Mode of Disposal of Boiler ash

Provision Of Alternate Electric Supply

No

Separate Electricity Meter Provided to Pollution control Devices

No

Hazardous Waste

CHWSDF Details

CHWTDF Facility Name

NA

CHWTDF Membership Number

0



Hazardous Waste Details		
Description	Waste Category	Quantity in MT/Month
Incineration Ash	37.3	0
STP/ETP	35.3	0
Used Oil		0

Non-Hazardous Waste aspect					
Description	Quantity	UOM	Treatment	Treatment	Remarks
STP Sludge	10.00	KGM	Sun dry	Manure for garden	NO

Legal Section				
Legal Action Type	Legal Action Ref No	Legal Action Date	Legal Action Details	Remarks
NA	NO	01-01-1970	NA	Complied

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

Yes

Average Cost (O & M) for ETP/STP

60000

Average Cost of APCD Rs/Year

0.00

Brief details of tree plantation/green belt development within applicant's premises

Open Space Availability

164

Plantation Done On

40

Number of Trees Planted

5

Whether Environmental Statement submitted

No

Environmental Statement submitted Date

01-01-1970

Any other additional information that the applicants desires to give


Do you have Infection Control Committee Constituted

No

6. Financial Details

Is there any Bank Gurantee impose on you during previous Consent/Authorization period.

No



Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA

Additional Bank Gurantee Details, if Any					
Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA

 भारत सरकार
GOVERNMENT OF INDIA




नितीन जनार्दन जठार
Nitin Janardan Jathar
जन्म वर्ष/YoB:1969
पुरुष Male



4429 5610 6251

आधार - सामान्य माणसाचा अधिकार

Notary
N.SHINDE
Ahmednagar
District,
St. A'Nagar
Reg.No.8341
Expiry Date
21/9/2025
Govt. of India

 भारतीय विशिष्ट पहचान प्राधिकरण
UNIQUE IDENTIFICATION AUTHORITY OF INDIA

पत्त्या:
मेहेर मता जंकी नगर,
संगमनेर, अहमदनगर
महाराष्ट्र, 422605

Address:
meher mata janki nagar,
sangamner, Ahmadnagar
Maharashtra, 422605

Aadhaar - Aam Aadmi ka Adhikar

Notary
S.N.SHINDE
Area Ahmednagar
District,
Dist. A'Nagar
Reg.No.8341
Expiry Date
21/9/2025
Govt. of India




भारत सरकार
Government of India




विजय कुशाबा पिसे
Vijay Kushaba Pise
जन्म तारीख /DOB: 01/01/1975
पुरुष/MALE



5769 8011 3159



माझे आधार, माझी ओळख



Scanned with CamScanner



Scanned with OKEN Scanner



भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India

पत्ता:

गावठाण, म/पो-आश्वी बु, ता-संगमनेर, अहमदनगर,
महाराष्ट्र - 413714

Address:

,,, AT/PO-ASHWI BK, TEL-SANGMNER, Ashwi
Bk. , Ahmed Nagar, Maharashtra - 413714



5769 8011 3159



help@uidai.gov.in

www.uidai.gov.in



Scanned with CamScanner



Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0253 - 2365150
Fax: 0253 - 2365150
Website: <http://mpcb.gov.in>
Email: ronasik@mpcb.gov.in



Udyog Bhavan, First Floor,
Trimbak Road, Near ITI,
Satpur, Nashik - 422007

ORANGE/S.S.I

Date: 20/12/2023

No:- Format1.0/RO/UAN No.0000161956/CO/2312002032

To,
M/s. Chaitanya Hospital
Sr. NO. 145/11, New nagar road, Opp. Nagare Hospital,
Tajanemala,
Tq. Sangamner, Dist. Ahmednagar



Your Service is Our Duty

Email:chaitanyahospital6@gmail.com
Contact No.:9422224036

Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. RO-NASHIK/CONSENT/2008000269, dtd. 07.08.2020.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 18/09/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2023** To **31-03-2029**



2. The capital investment of the HCF is ₹0.9205 Lakhs (As per C.A Certificate Submitted by HCF)

3. HCF Area: - Plot Area 606.51 M² with Built-up area 914.20 M².

4. Activities Included

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 98 valid upto 31-03-2023)

I. General Beds : **21 Nos**

II. ICU/ICU Beds : **17 Nos**

III. Operation Theatre : **2 Nos**

IV. Maternity Beds : **5 Nos**

V. Other Beds : **5 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 17.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean System India Pvt Ltd, Ahmednagar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



a3d4645a
73c99807
d167a895
62299595
c377bc7c
f558ad7a
637cecab
bd93d6a2

Signed by: Shri L. S. Bhad
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronashik@mpcb.gov.in
2023-12-20 16:20:24 IST

Received Consent/Authorization fee of -



Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	4500.00	TXN2309002974	18/09/2023	Online Payment
2	7486.00	TXN2312002579	14/12/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahmednagar
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	17.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	14.0	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	35.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	85.00		
		d) Expired or Discarded Medicines	20.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	45.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
3	White (Translucent)	Waste sharps including Metals	35.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Metallic body implants	10.00		

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean System India Pvt Ltd, Ahmednagar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).



SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,25,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nashik.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





BIOCLEAN SYSTEMS (INDIA) PVT. LTD.

Pune Office: Building No. A-10, Flnt No. 00, Moern Nagar Kuregaon Park, Pune -411001 (M.H.)



BIOCLEAN
SYSTEMS (INDIA) PVT. LTD.
A ISO 9001:2008 COMPANY

www.bioclean.com
Pune Office: Building No. A-10, Flnt No. 00, Moern Nagar Kuregaon Park, Pune -411001 (M.H.)

Unlquo Registration No.: SNG-91



Online QR



Online QR

Registration Certificate

Outward No. : OW/Cer/2024-25

Date : 12-Nov-2024

This is to certify that DR JATHAR NITIN JANARDHAN (91), CHAITANYA HOSPITAL, NEW NAGAR ROAD, TAJANE MALA, SANGAMNER, Tal.SANGAMNER Dist. AHMEDNAGAR is registered with M/s Bioclean Systems (India) Pvt. Ltd., Nilayam Housing Society, Near Make May Care Showroom, Vinayaknagar, Nagar Pune Road, Ahmednagar - 414001, Maharashtra for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- | | | | |
|---|---|---|---------------------------|
| 1 | Authorized Person of HCE
(Name and Designation) | : | DR JATHAR NITIN JANARDHAN |
| 2 | Bombay Nursing Home Act Registration Details | : | 98 |
| | a. BNH Registration No | : | 31-Mar-2023 |
| | b. BNH Issue Date | : | 50 |
| | c. Total Number of Beds | : | 31-Mar-2026 |
| | d. BNH validity (Form 'C') | : | |
| 3 | Common Treatment Facility Registration Details | : | 01-Feb-2019 |
| | a. Date of Registration | : | 50 |
| | b. No. of Beds Registered | : | 12-Nov-2024 |
| | c. Issue Date | : | 11-Nov-2025 |
| | d. Registration Validity | : | |
| 4 | Renewal of CTF Membership (if applicable) | : | 11-Nov-2025 |
| | a. Renewal Date | : | 50 |
| | b. No. of Beds | : | |
| 5 | MPCB Consents (Establish/ 1 st Oporator/Renewal Details) | : | UAN NO. 0000161956 |
| | a. Consent / CCA Number | : | 20-Dec-2023 |
| | b. Issue Date | : | 31-Mar-2029 |
| | c. Validity upto | : | |

Ahmednagar Office:
Nilayam Housing Society Near John Deere Tractor
Showroom Nagar -Pune Road Ahmednagar-414001
Ph.:(0241) 2324131, Mob 9226322678



For Bioclean Systems (India) Pvt. Ltd.

Authorised Signatory
Date: 12/11/2024

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.