

महाराष्ट्र MAHARASHTRA

2023

60AA 345599

उपकोषागार कार्यालय, संगमनेर
पुरवडा दिनांक
10 5 SEP 2023
उपकोषागार अधिकारी, संगमनेर

मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक 99302 दिनांक 01/09/2023

प्रतिज्ञापत्रासाठीचे कारण

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

हस्ते असल्यास नाव व पत्ता

मुद्रांक विकत घेणाऱ्याची सही

परवानाधारक मुद्रांक विक्रेत्याची सही

व परवानाधारक तसेच मुद्रांक विक्रीचे ठिकाण/पत्ता-

Principal
Surya College of Nursing
Manchi Hill, Ashvi Bk., Tal. Sangamner
Dist. Ahmednagar (MS) Pin-413714

Dr. मंगेश कातेरे

श्री. नितीन धिवाजी कुमठेकर
(मु.वि.प.क्र. 90809/9C)
9634, विश्वास अॅरॉक्स, संगमनेर

MEMORANDUM OF UNDERSTANDING (MOU)

This memorandum of understanding is made between following parties:

- 1) Sanjivan Hospital,
Ghulewadli, Tal Sangamner,
Through its Director
Dr. Jagdish Balasaheb Wable,
Age: 40 years, Occupation: Doctor,
Ghulewadli, Tal, Sangamner, Dist: Ahmednagar.
- 2) Surya College of Nursing, Manchi Hill, Ashvi Bk.,
Tal. Sangamner, Dist. Ahmednagar 413714
Through its Director / President Mr. Vijay Kushaba Pise
Age: 50 years, Occupation: Service
A/P Manchi Hill, Ashvi Bk,
Tal, Sangamner, Dist: Ahmednagar





WHEREAS the party no 1, is running a 50 bedded hospital under the name and title as Sanjivan Hospital, which covers the multispeciality and General. The said hospital is of Allopathic faculty. This said hospital is said being register under Bombay Nursing Home Act. 1949 and under the Shop Act.

Whereas The Party No 2. Is an Educational Society and is Running College of Basic B. Sc. Nursing Programme, Affiliated to Maharashtra University of Health Science, Nashik. The Party No. 2 Is Already Provided Sanjivan Hospital and Requested Party No. 1,

For Affiliation of Their Hospital for next 10 consecutive academic years for said college of B. BSc. Nursing Courses for practical purpose. HEREAS the party no, 1. Has agreed to provided its affiliated hospital for the purpose of clinical field experience for student in said Surya College of Nursing, Manchi Hill, Ashvi Bk., Tal. Sangamner conducting B. BSc. courses At Manchi Hill, Ashvi Bk. Tal Sangamner, Dist- Ahmednagar for the academic year 2023 -24 and for next 10 consecutive years.


Therefor this agreement of above memorandum of understating held and for which both the parties have made their signatures below with best of their knowledge and belief on this day of.

Date:- 14/09/2023

Place:- **IDENTIFIED BY**
Sangamner.






Surya College of Nursing,
Manchi Hill, Ashvi Bk.,
(B. BSc Nursing)
Through its President
Mr. Pise Vijay Kushaba
President



E.A.B.V.J.J. & M.S.Sanstha
Manchi Hill, Ashvi Bk, Tal. Sangamner
Dist. Ahmednagar (M.S.)

Sanjivan Hospital,
Through its Director
Dr. Jagdish Balasaheb Wable
Ghulewadi, Tal-Sangamner. Dist-Ahmednagar.

Dr. Jagdish Wable
M.B.B.S. MD (Medicine)
Reg.No.2006/02/511



BEFORE ME

SUBHASH N. SHINDE
Notary Govt. of India
Dist. AHMEDNAGAR

**THIS DOCUMENT
CONTAINS 2 PAGES**

**NOTED & REGISTERED
AT SERIAL NO. 2059/20 23
Date : 14/09/2023**



भारत सरकार

Government of India



विजय कुशाबा पिसे

Vijay Kushaba Pise


जन्म तारीख /DOB: 01/01/1975

पुरुष/MALE



5769 8011 3159

माझे आधार, माझी ओळख



Scanned with CamScanner



Scanned with OKEN Scanner



भारतीय विशिष्ट ओळख प्राधिकरण
Unique Identification Authority of India

पत्ता:

गावठाण, मु/पो-आश्वी बु, ता-संगमनेर, अहमदनगर,
महाराष्ट्र - 413714

Address:

,,, AT/PO-A SHWI BK, TEL-SANGMNER, Ashwi
Bk. , Ahmed Nagar, Maharashtra - 413714




5769 8011 3159



help@uidai.gov.in

www.uidai.gov.in



Scanned with CamScanner



Scanned with OKEN Scanner

AHMEDNAGAR ZILLA PARISHAD



AHMEDNAGAR

FORM 'C'

(See Rule - 5)

Certificate of Registration Under Section 5 of the Bombay
Nursing Homes

Registration Act 1949

No. - 72/2022

This is to certify that Shri./Smt. Dr. Jagdish Balasaheb Wabale
has been requested under the Bombay Nursing Homes Registration Act. 1949,
in respect of - Sanjivan Hospital situated at/ po Ghulewadi
Tal- Sanganner Dist- Ahmednagar - Sanjivan Hospital
and has been authorized to carry on the said nursing home.

Registration No. :- AH- 704

No. of Beds:-

50

Date of Registration. :- 05/06/2018

Place : Ahmednagar

Date of issue of Certificate :- 27/04/2022



This Certificate of registration shall be valid upto - 26/04/2025



(Dr. Sandeep Sangale.)
Signature of the registering authority


District Health Officer
Zilla Parishad, Ahmednagar


आयकर विभाग
INCOME TAX DEPARTMENT

भारत सरकार
GOVT. OF INDIA

WABLE JAGDISH BALASAHEB
BALASAHEB BHIKAJI WABLE


13/07/1983
 Permanent Account Number
AAVPW1937B


 Signature



भारत सरकार
GOVERNMENT OF INDIA

जगदीश बाळासाहेब वाबळे
Jagdish Balasaheb Wable
 जन्म तारीख/ DOB: 13/07/1983
 पुरुष / MALE



2871 7222 2768

माझे आधार, माझी ओळख



राष्ट्रीय विनिश्चय प्रमाणन प्राधिकरण
NATIONAL IDENTIFICATION AUTHORITY OF INDIA

पत्ता:
 सोमगाव रोड, वाबळे वस्ती,
 मु/पो-लोणी बु, ता-राहाता,
 सोणी बुद्रुक, अहमदनगर,
 महाराष्ट्र - 413736

Address:
 Somgaon Road, Wable Wasti,
 Mu/PO-Loni Bk. Tal-Rahata, Loni
 Bk., Ahmednagar,
 Maharashtra - 413736

2871 7222 2768

MERA AADHAAR, MERI PEHACHAN



Biohazard

AHMEDNAGAR MUNICIPAL CORPORATION

COMMON BIOMEDICAL WASTE COLLECTION, TREATMENT & DISPOSAL FACILITY



Cytotoxic

Sr. No. 34, Near Municipal Corporation Solid Waste Depot, Burudgaon, Ahmednagar.

Certificate of Registration for Membership of Common Biomedical Disposal Facility as per Authorization for Generation, Collection, Reception, Segregation, Storage, and Disposal of Bio-Medical Wastes under Rule 1998 & amended there on.


Registration No. : SNG / 120
Date of Registration : 03 April 2021
Date of Issue of Certificate : 08 April 2023
Place : Ahmednagar
Name & Address : Dr. Jagdish Balasaheb Wabale
Sanjeevan Hospital,
Nashik - Pune Road, Sangamner
Tal. Sangamner, Dist. Ahmednagar,


Type of Institute : Hospital
No. of Beds : 50 (Fifty)
Approx. Qty. of Waste Generated/day: 10 Kg.


This Certificate is valid from 08 April 2023 to 07 April 2024.

This is to certify that above Doctor / Institute is registered with us and having membership of our CBMWTSDF for collection, transportation & disposal of biomedical waste generated at his / there Institute.

Note :- In case of violation of BMW rules 1998 & amended there on or default for due payments of BMW Services all rights are reserved with signing authorities for cancellation of this certificate.


Bioclean Systems (India) Pvt. Ltd.
Ahmednagar.
(Operator)


Medical Officer of Health / Local Supervising Authority
Ahmednagar Municipal Corporation



MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0253/2365150

Fax : 0253/2365140

Email : ronashik@mpcb.gov.in

Visit At: <http://mpcb.gov.in>



Udyog Bhavan, First Floor
Trimbak Road, Near ITI, Satpur,
Nashik - 422007

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for of Bio-Medical Wastes under See Rule 10]

(Authorization for operating a facility for generation, collection, reception, treatment, storage,
transport and disposal of biomedical waste)

I. File number of authorization and date of issue

RO-NASHIK/BMW_AUTH/ 2202000644

Date: 28/2/2022

II. M/s. Sanjeevan Hospital, is hereby granted an authorization for generation of biomedical waste on the premises situated at Gunjalwadi, Sangamner, Tal. Sangamner, Dist. Ahmednagar.


III. This authorization shall be in force for a period upto 30.04.2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 50 beds.

Terms and Conditions of authorization

1. The "authorized Person" Dr. Jagdish Balasaheb Wabale, of M/s. Sanjeevan Hospital shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below.



MPCB-BMW_AUTH-0000040829

Page 1 of 4

Sr. No.	Category	Type of Waste	Quantity Generated or Collected, Kg/Day	Method of Treatment and Disposal (Refer Schedule-I)
1	Yellow	a) Human Anatomical Waste	10.0 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
		b) Animal Anatomical Waste	--	
		c) Soiled Waste	15.0 Kg/Month	
		d) Expired or Discarded Medicines	10.0 Kg/Month	
		e) Chemical Solid Waste	40.0 Kg/Month	
		f) Chemical Liquid Waste	3000 Lts/Day	
		g) Discarded Linen, Mattresses, beddings contaminated with blood or body fluid.	0.0 Kg/Month	
		h) Microbiology, Biotechnology and other clinical laboratory waste	0.0 Kg/Month	
2	Red	Contaminated Waste (Recyclable)	--	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
3	White (Translucent)	Waste Sharps including Metals	30.0 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
4	Blue	Glassware	---	Bio-medical Waste shall be sent to CBMWTSDF authorized by MPCB
		Metallic Body Implants	---	

7 The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule II of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule II of said Rules.

(ii) You shall setup requisite BMW, treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules 2016. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous & Other Wastes (M & TM) Rules, 2016 as amended and authorized by MPCB.


(i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.

(ii) BMW shall be segregated into containers/bags at the point of generation in accordance with Schedule-I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV- Part-A.

(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall,

MPCB-BMW_AUTH-0000040829

Page 2 of 4



apart from the Label prescribed in Schedule IX, also carry information prescribed in Schedule IV Part B and shall be transported by authorized Transporter only.

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) Untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall not be stored beyond a period of forty- eight hours: Provided that in case for any reason it becomes necessary to store such waste beyond such a period, the occupier shall take appropriate measures to ensure that the waste does not adversely affect human health and the environment and inform the prescribed authority along with the reasons for doing so.
- (vi) Microbiology waste and all other clinical laboratory waste shall be pre-treated by sterilization to Log 6 or disinfection to Log 4, as per the World Health Organization guidelines before packing and sending to the common bio-medical waste treatment facility.


10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.

Recording of operational parameters,- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

Validation test: Spore testing. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.



MPCB-BMW AUTH-0000040829

(VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW for period of 5 years in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

Accident reporting – 1) In case of any major accident at any institution or facility or any other site while handling bio-medical waste, the authorized person shall intimate immediately to the prescribed authority about such accident and forward a report within twenty-four hours in writing regarding the remedial steps taken in Form I.

2) Information regarding all other accidents and remedial steps taken shall be provided in the annual report in accordance with rule 13 by the occupier.

14. This authorization is issued subject to condition as mentioned below.

- i) You shall submit compliance of authorization conditions every six months to Sub-Regional Office Nashik.
- ii) You shall provide Annual report in Form-II duly certified by facility operator.
- iii) You shall obtain Consent to Operate from Board under Water (P &CP) Act, 1974 and Air (P &CP) Act, 1981, forthwith.
- iv) The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
- v) The Hospital shall not carry any expansion, change, Addition, Modification, and Modernization in the existing set up till to obtain prior permission from the Board

15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.


16. HCE shall submit Bank Guarantee of Rs. 75,000/- against installation of ETP / STP for treatment of effluent generating from the hospital. HCE shall install and operate ETP / STP within in 3 months time from date of issue of this Authorization

17. HSC shall submit Bank Guarantee of Rs. 50,000/- against compliance of condition of Authorization. The Bank Guarantee shall be drawn in the name of Regional Officer M.P.C Board Nashik, and shall be valid for the period upto 30.07.2025.

16. HCE shall obtain consent from the Board under Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981



Maharashtra Pollution Control Board



To,
Dr. Jagdish Balasaheb Wabale,
M/s. Sanjeevan Hospital.,
Gunjalwadi, Sangamner, Tal. Sangamner, Dist. Ahmednagar.

Authorization Fees Received:-

Sr. No.	Amount	Transaction No.	Transaction Date
1	12500.00	TXN2202001780	14.02.2022
Remaining fee of Rs. 2,500/- will be balance with the Board			

Maharashtra Pollution Control Board

Phone:
Fax: 0241 - 2353852
Email: sroahmednagar@mpcb.gov.in



Bharat Timber, 1st floor, Tilak Road, Opposite
Sanket Hotel , Ahmednagar , 414 001

Date : 21 Jan 2025

To,
Jagdish Balasaheb Wable
Nashik Pune Road, Sangamner, Tal. Sangamner, Sangamner (MCL), Ahmednagar

Subject: Application for Consent To Operate.

Reference: To your UAN MPCB-CONSENT-0000231467

Sir,

This office is in receipt of your above referred application for grant of Consent To MPCB-CONSENT-0000231467. On scrutiny it is observed that following documents/details are not submitted.

(A) Documents :

Sr.	Points	Observations and Remarks
1	Membership of BMW CTF Certificate.	Not submitted
2	Details of STP & ETP for domestic and OT, Lab & Laundry effluent.	As per water budget calculation for 50 beds water consumption should be 17 CMD (340 ltr/bed/day) & effluent generation should be 15 CMD & you have provided details of STP for 5 CMD only.
3	Requisite fee in te form of online payment/NEFT/RTGS along with delay charges, penalty.	There is delay for application of CCA by 1135 days hence penal charges Rs. 46644/- is applicable.

Additional Remarks :

You have not submitted details of Bank Guarantee Rs. 1.25 Lakh as per previous BMW Authorization, if you have not submitted BG as penal charges 12% of BG amount is applicable. You are instructed to upload your reply of this scrutiny letter on web portal within 7 days, otherwise your application may consider accordingly.

Regards

(-)

Note: This is a computerized system generated print ,hence does not require any signature.

