

588/2025



महाराष्ट्र MAHARASHTRA

2024

36AB 814698


न्यायालय कार्यालय, संगमनेर  
पुरवठा दिनांक  
29 MAY 2025  
न्यायालय अधिकारी, संगमनेर

मुद्रांक विकत घेणा-याचे नाव-पत्ता सुर्या कॉलेज ऑफ नर्सिंग
हस्ते असल्यास डी. वी. शिंदे प्राश्वी बक
मुद्रांक विक्री नोंदवही अनुक्रमांक- 9322
दिनांक- 9/06/2024
मुद्रांक घेणा-याची सही- 8
परवाना धारक क्रमांक मुद्रांक विक्रेता, संगमनेर. विराज नरेंद्र सराफ SMN / 03 / 2024

**MEMORANDUM OF UNDERSTANDING (MOU)**

This memorandum of understanding is made between following parties

- 1) Kate Multispeciality Hospital,  
(Affiliated Hospital)  
Sangamner, Tal.- Sangamner,  
Through its Director  
Dr. Kate Saurabh Girish,  
Dist.-Ahilyanagar 413714
- 2) Surya College of Nursing; (B.Sc. Nursing) Manchi Hill Ashvi Bk,  
Tal. Sangamner, Dist. Ahmednagar  
Through its-Principal  
Mrs. Shinde Usha Vidyadhar  
Age: 62 years, Occupation: Service  
A/P Manchi Hill, Ashvi Bk,  
Tal, Sangamner, Dist: Ahilyanagar 413714



WHEREAS the party no 1) Is running a 50 bedded hospital under the name and title as Kate Multispeciality Hospital. The said hospital is of Allopathic faculty. This said hospital is said being register under Bombay Nursing Home Act. 1949 and under the Shop Act.

Whereas The Party No 2). Is an Educational Society and Is Running College of B.Sc. Nursing Programme, Affiliated to Maharashtra University of Health Sciences, Nashik. The Party No. 2 Is Already Provided Kate Multispeciality Hospital and Requested Party No. 1) For Affiliation of Their Hospital for next 30 consecutive academic year for said college of B.Sc. Nursing course for practical purpose.

WHEREAS the party no 1) Has agreed to provided its affiliated hospital for the purpose of clinical field experience for student in said Surya College of Nursing (B.Sc. Nursing), Manchi Hill, Ashwi Bk, Tal.Sangamner conducting B.Sc. Nursing course At Manchi Hill, Ashwi Bk. Tal Sangamner, Dist.-Ahilyanagar for the academic year 2024-25 and for next 30 consecutive year.

Therefore this agreement of above memorandum of understating held and for which both the parties have made their signatures below with best of their knowledge and belief on this day of.

Date: 09/07/2025

Place: Sangamner

EXECUTANT

*Shinde*


*Shinde*  
Surya College of Nursing (B.Sc. Nursing)  
Manchihill, Sangamner  
Principal  
Mrs. Shinde Usha Vidyadhar

*Shinde*  
Kate Multispeciality Hospital  
(Affiliated Hospital)  
Director  
Dr. Saurabh Girish Kate

IDENTIFIED BY

BEFORE ME

*Shinde*  
SUBHASH N. SHINDE  
Notary Govt. of India  
Dist. AHMEDNAGAR



NOTED & REGISTERED  
AT SERIAL NO 589/2025  
Date : 09 / 07 / 2025

THIS DOCUMENT  
CONTAINS 15 PAGES

# AHMEDNAGAR ZILLA PARISHAD



## AHMEDNAGAR

### FORM 'C'

(See Rule - 5)

Certificate of Registration Under Section 5 of the Bombay  
Nursing Homes

### Registration Act 1949

No. - 147/2023

This is to certify that Shri./Smt. Dr. Saurabh Girish Kate has been requested under the Bombay Nursing Homes Registration Act. 1949, in respect of - Kate Multispeciality Hospital situated At/Po - Dholewadi, Tal-Sangamner, Dist- Ahmednagar and has been authorized to carry on the said nursing home.

Registration No. :- AH - 981

No. of Beds:- 50


Date of Registration :- 23/08/2023


Place :- Ahmednagar

Date of issue of Certificate :- 23/08/2023

This Certificate of registration shall be valid upto - 31/03/2026



  
( Dr. Bapusaheb Nagargoje )  
Signature of the registering authority  
District Health Officer  
Zilla Parishad Ahmednagar



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0253 - 2365150  
Fax: 0253 - 2365150  
Website: <http://mpcb.gov.in>  
Email: [ronasik@mpcb.gov.in](mailto:ronasik@mpcb.gov.in)



Udyog Bhavan, First Floor,  
Trimbak Road, Near ITI,  
Satpur, Nashik - 422007

**ORANGE/S.S.I**  
No:- Format1.0/RO/UAN No.0000178982/CO/2311001408

Date: 17/11/2023

To,  
M/s. Kate Hospital,  
Sr. No- 26/4/1/21, Plot No- 21, Gunjal Wadi Road,  
Near Hotel Grapes Garden, At Dholewadi,  
Tal- Sangamner, Dist- Ahmednagar.



Your Service is Our Duty


Email: [drsaurabhkate@gmail.com](mailto:drsaurabhkate@gmail.com)  
Contact No.: 9860009965

*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/RO/UAN No.0000161258/CE/2307001803. Dtd: 27/07/2023
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 20/08/2023

31.07.2023 to 31.07.2027 under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-07-2023 To 31-07-2027**



2. The capital investment of the HCF is ₹113.50 Lakhs (As per C.A Certificate Submitted by HCF)

3. HCF Area: - Plot Area 666.00 M<sup>2</sup> with Built-up area 1446.00 M<sup>2</sup>.

4. **Activities Included**

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 50 valid upto 22-01-2023)

I. General Beds : **20 Nos**

II. ICCU/ICU Beds : **10 Nos**

III. Operation Theatre : **2 Nos**

IV. Maternity Beds : **5 Nos**

V. Oncology Beds : **3 Nos**

VI. Other Beds : **10 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 15 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.

2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.

3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.

2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**



1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Bloclean System India Pvt Ltd, Ahmednagar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
  15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
  16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
  17. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nashik within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



*[Handwritten Signature]*

9914d474  
8d78f8c6  
dc85ae4b  
4ba75ada  
4269c068  
78079c3b  
9089fcd3  
ff4a07fa

Signed by: Rajendra A. Rajput  
Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
[ronashik@mpcb.gov.in](mailto:ronashik@mpcb.gov.in)  
2023-11-17 15:40:58 IST


Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	30000.00	TXN2308003229	20/08/2023	Online Payment



**Copy to:**

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Ahmednagar
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00


## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	12.0	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.




**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	DG Set(125 KVA)	Diesel	--	3.00


2. The Applicant shall obtain prior permission of MPCB board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:


Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	55.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	70.00		
		d) Expired or Discarded Medicines	25.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	30.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Blotechnology and other clinical laboratory waste	40.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
3	White (Translucent)	Waste sharps including Metals	25.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean System India Pvt Ltd, Ahmednagar Ahmednagar
		b) Metallic body implants	0.00		



## SCHEDULE-II

### **Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean System India Pvt Ltd, Ahmednagar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the Information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nashik and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).




**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Performance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
<b>1B</b>	<b>Operation and Maintenance</b>		
1	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>2</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
<b>Total</b>			<b>1,25,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nashik.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated 16/11/2009 as amended.




14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---





Maharashtra Pollution Control Board  
महाराष्ट्र प्रदूषण नियंत्रण मंडळ


# BIOCLEAN SYSTEMS (INDIA) PVT. LTD.

Pune Office: Building No. A-10, Flat No. 06, Meera Nagar Koregaon Park, Pune -411001 (M.H.)



BIOCLEAN  
SYSTEMS (INDIA) PVT. LTD.  
AN ISO 9001:2000 COMPANY

Unique Registration No.: SNG-79



Offline QR



Online QR



## Registration Certificate

Outward No. : OW/Cer/2024-25

Date : 02-Oct-2024

This is to certify that DR KATE SAURABH GIRISH (79), KATE MULTISPECIALITY HOSPITAL, BEHIND HOTEL GRAPES GARDEN, GUNJALWADI ROAD, Tal. SANGAMNER, Dist. AHMEDNAGAR. is registered with M/s Bioclean Systems (India) Pvt. Ltd., Nilayam Housing Society, Near Make May Care Showroom, Vinayaknagar, Nagar Pune Road, Ahmednagar - 414001, Maharashtra for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- |   |   |   |                        |
|---|---|---|------------------------|
| 1 | Authorized Person of HCE<br>(Name and Designation)                  | : | DR KATE SAURABH GIRISH |
| 2 | Bombay Nursing Home Act Registration Details                        | : |                        |
|   | a. BNH Registration No  | : | AH-981                 |
|   | b. BNH Issue Date   | : | 23-Aug-2023            |
|   | c. Total Number of Beds   | : | 50                     |
|   | d. BNH validity (Form 'C')  | : | 31-Mar-2026            |
| 3 | Common Treatment Facility Registration Details                      | : |                        |
|   | a. Date of Registration   | : | 10-Jan-2019            |
|   | b. No. of Beds Registered   | : | 50                     |
|   | c. Issue Date   | : | 02-Oct-2024            |
|   | d. Registration Validity  | : | 01-Oct-2025            |
| 4 | Renewal of CTF Membership (if applicable)                           | : |                        |
|   | a. Renewal Date   | : | 01-Oct-2025            |
|   | b. No. of Beds  | : | 50                     |
| 5 | MPCB Consents (Establish/ 1 <sup>st</sup> Operator/Renewal Details) | : |                        |
|   | a. Consent / CCA Number   | : | UAN NO. 0000178982     |
|   | b. Issue Date   | : | 17-Nov-2023            |
|   | c. Validity upto  | : | 31-Jul-2027            |



For Bioclean Systems (India) Pvt. Ltd.

Ahmednagar Office:  
Nilayam Housing Society Near John Deere Tractor  
Showroom Nagar -Pune Road Ahmednagar-414001  
Ph.:(0241) 2324131, Mob 9225322576

Authorised Signatory  
Date-4/10/2024

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.



संघ लोक सेवा आयोग  
भारत सरकार



आधार

भारतीय विशिष्ट ओळख प्राधिकरण  
भारत सरकार  
Unique Identification Authority of India  
Government of India

नोंदविण्याचा क्रमांक / Enrollment No 0206/44002/73578

To


सौरभ गिरिष काटे  
Saurabh Girish Kate  
S/O: Girish Bajirao Kate  
Sudarshan  
Shivaji Road  
Near Neharu Garden Maliwada  
Sangamner  
Sangamner Sangamner Ahmadnagar  
Maharashtra 422605  
9422089854

10/03/2015

Ref: 11981 / 13C / 3709572 / 3709680 / P



SE559649616FT



आपला आधार क्रमांक / Your Aadhaar No. :

**4168 6421 3594**

आधार - सामान्य माणसाचा अधिकार




भारत सरकार

Government of India




सौरभ गिरिष काटे  
Saurabh Girish Kate  
जन्म तारीख / DOB : 12/11/1988  
पुरुष / Male



4168 6421 3594

आधार - सामान्य माणसाचा अधिकार



भारत सरकार  
GOVERNMENT OF INDIA


उषा विद्याधर शिंदे  
Usha Vidyadhar Shinde

जन्य वर्ष / Year of Birth : 1962  
स्त्री / Female



2570 9769 3486

उषाधर — सामान्य माणसाचा अधिकार



भारतीय विशिष्ट ओळख प्राधिकरण  
UNIQUE IDENTIFICATION AUTHORITY OF INDIA

पत्ना W/O विद्याधर शिंदे, गोविंद  
हलवाई चौक जवळ १७ न्यू रविवार पेठ,  
पुणे सिटी, पुणे सिटी, पुणे, महाराष्ट्र,  
411002

Address: W/O Vidyadhar Shinde,  
NEAR GOVIND HALWAI  
CHOWK, 17 NEW RAVIWAR  
PETH, Pune City, Pune City,  
Pune, Maharashtra, 411002

1947  
1800 180 1947

help@uidai.gov.in

www.uidai.gov.in

P.O. Box No. 1947,  
Bengaluru-560 001

President  
Eklavva A.B.V.J.J.Va. Magasvargiya